



The simplest form of
user identification.



Kemro UserID
Contact-free identification for system and
mechanical engineers

KEBA®

Automation by innovation.

Kemro UserID – Quick and easy user identification.

Quick and easy login without a password

The user identification is the most important feature for the security and traceability when operating machinery and systems.

Due to the frequent, process-related login and logoff events on machines and systems, it is essential that this identification be made as simple and convenient as possible.

The Kemro UserID product line offers an optimal and comprehensive solution for this purpose. It eliminates both the awkward user login using a name and password as well as the laborious maintenance and administration of the user data on the machine itself. This way the innovative modules enable simple and rapid user identification and thus an enormous increase in the machinery and systems productivity. The user identification also allows the respective user an individual modification of the operational view.

Customisation

Not only are names and access rights specified with Kemro UserID, a variety of settings for each respective user can also be made such as languages or visualisation screens. Thus, different users can immediately return to their familiar visualisation environments and languages!



Identification

- secure, without password
- fast
- contact-free
- convenient

Integration

- simple installation
- clearly arranged command interfaces
- common hardware interfaces

Standards

- FDA qualified (21 CFR Part 11)
- Euromap 65 Standard

Kemro UserID – The high performance user identification system.

„Stand-alone“ – simple retrofitting of existing systems

All Kemro UserID „stand-alone“ products are well protected in rugged and compact housings. Their integration is simple and just as problem-free with regards to retrofitting existing machinery. The products have standard interfaces and the necessary device drivers, with which they can be connected via serial or USB ports to all common control and visualisation systems.

Integrated – direct installation in machines and visualisation devices

For integrated Kemro UserID products, the installation is handled directly in the customer's system, without interfering edges or gaps, which effectively reduces contamination of the devices. The antenna for this is integrated directly in the housing of the machine or the visualisation device. At the same time, the functionality of the Kemro UserID „stand-alone“ products is still ensured, of course.



Complete system for quick incorporation

Starter Kits

The simple and easy to handle Kemro UserID Starter Kit enables you to quickly get to know, evaluate and experiment with the Kemro UserID products.

Rapid integration in the software

The device drivers of the individual products enable rapid and smooth deployment. Thanks to their transparent and easy-to-integrate interfaces, the modules can be optimally incorporated in the desired systems to the customer's satisfaction. A premade instruction set for user identification is available for reducing the system integration effort to a minimum. A demo application is also available to help simplify the integration. With it, you'll immediately be able to describe and also readout cards.

Integration package

In addition to the device drivers, comprehensive integration packages are available for various, commercially available visualisation systems. These integration packages contain custom components for the simple integration of the Kemro UserID modules in the various visualisation systems and present an array of descriptive application examples for their versatile application possibilities.




Practice-oriented product applications:



Kemro UserID classic

Retrofitting of existing systems

Retrofitting of existing systems Existing systems can be quickly and easily retrofitted with „stand-alone“ products using common standard interfaces.



Kemro UserID eco OEM

Direct integration in machinery and visualisation devices

The products are installed directly in existing machines and systems. This guarantees a precisely fit installation without edges and corners that interfere in the fronts of machines or visualisation devices.

Kemro UserID – Product solutions



„Stand-alone“ versions

Kemro UserID classic

- for machinery and systems with serial interfaces
- problem-free retrofitting of existing systems
- rugged housing (IP 65)

Integrated versions

Kemro UserID classic OEM

- for machinery and systems with serial interfaces
- direct installation in machinery and visualisation devices
- Antennas can be remotely positioned from the module



classic

Kemro UserID eco

- for machinery and systems with USB interfaces
- problem-free retrofitting of existing systems
- rugged housing (IP 65)

Kemro UserID eco OEM

- for machinery and systems with USB interfaces
- direct installation in machinery and visualisation devices
- Antennas can be remotely positioned from the module



eco

Fit for the future with KEBA.

Kemro Products for Automation

With the Kemro system module, KEBA offers a wide product program for customized automation solutions. A comprehensive and convincing offering which features a high degree of innovation and customer benefits – from the drive, to the controls, to the visualization.

With the Kemro Products for Automation business unit, these system modules are supplemented with additional innovative components. Kemro UserID is one of the quickest and simplest means of user identification.

AT: KEBA AG, Gewerbepark Urfahr, A-4041 Linz, Phone: +43 732 7090-0, Fax: +43 732 730910, E-Mail: keba@keba.com
DE: KEBA GmbH Automation, Leonhard-Weiss-Straße 40, D-73037 Göppingen, Phone: +49 7161 9741-0, Fax: +49 7161 9741-40, E-Mail: keba@keba.com
RO: KEBA Automation S.R.L., Str. Toamnei 27, RO-020702 Bucharest, Phone/Fax +40 2121 20315 , E-Mail: romania@keba.com
US: KEBA Corp., 100 West Big Beaver Road, Troy, MI 48084, US, Phone: +1 248 526-0561, Fax: +1 248 526-0562, E-Mail: usa@keba.com
CN: Beijing Austrian KEBA Science and Technology Development Ltd., Room B516, Nan Xin Cang Tower, A22 Dong Si Shi Tiao, Cheng District, Beijing 100007, P.R. China, Phone +86 10-64096592, Fax +86 10-64096312, E-Mail: china@keba.com

www.keba.com

The logo for KEBA, with the letters 'K', 'E', and 'B' in a bold, green, sans-serif font, and the letter 'A' in a bold, dark blue, sans-serif font. A registered trademark symbol (®) is located to the upper right of the 'A'.

Automation by innovation.